AvePoint Cloud Archiving

Release Notes

AvePoint Cloud Archiving May 2018

Release Date: May 20, 2018

New Features and Improvements

- Cloud Archiving now supports functionalities on Microsoft Teams data that are scanned in the Office 365 Group Team Site Container.

- Support configuring Days as the criteria condition in time related filters.

- Cloud Archiving will now integrate with the session time-out settings that users configured in the AvePoint Online Services interface.

- The Dynamic Object Registration settings are now hidden in Control Panel. For existing customers who are using Dynamic Object Registration in Control Panel, the settings are retained and configurable.

Known Issues

- The app profile that contains a custom Azure application cannot be used to connect to your SharePoint Online environment when you use the Create Container functionality to create site collections within the Cloud Archiving interface.

- In Archiver, create a **Document** level Archiver rule (**Content Type**, **Contains**, **wiki)** and apply the rule to a Wiki Page Library and then run the Archiver job. After the job is finished, the library is not archived.

  Root Cause: Files whose extensions are one the followings will skip archiving: **aspx**, **js**, and **css**. The file extension in Wiki Page Library is **aspx**.

- When configuring the physical device of the SFTP storage type and the SFTP server is freeSSHd, testing both the Password and the Private Key File (a .ppk file) at the same time will fail the test. SFTP only supports the private key file in .openssh format. The private key files in .ppk format generated by PuttyGen are not supported. As a workaround, if your private key file is in .ppk format, use PuttyGen to convert it to an .openssh file.

- If there are network disruptions during use, there is a possibility that the "Job Has Started" or other operation indicators may not show in the notification pane. While the notification may fail to appear, the job may have successfully started and will be tracked in the Job Monitor. It is recommended you check the job monitor before trying to restart an operation or export a new report.

- If a user creates a plan or profile with a name that contains "workflow;open a", an error message appears after saving the plan or profile. The words "workflow;open a" trigger the rule of Windows Firewall.

- AvePoint Cloud Archiving only supports users with site collection administrator or above permissions to register SharePoint Online site collections.

- When configuring a filter policy for the **Number** column with a percentage, the column value must be in a decimal format instead of a percentage in order for the filter policy to be configured correctly and properly run any jobs.

AvePoint Cloud Archiving March 2018

Release Date: March 18, 2018

New Features and Improvements

- AvePoint Cloud Archiving is now available in the West Europe (Netherlands) data center.

- AvePoint Cloud Archiving now can manage data via a custom application you create in your Azure Active Directory. You can provide the information of the custom application by creating an app profile in AvePoint Online Services and selecting **Custom Azure App** as the app profile type.

- When using the Create Container feature to create site collections without leaving the AvePoint Cloud Archiving interface, the app profile authentication method is now not only for multi-factor authentication. You can choose the app profile authentication method, as long as you want to use the app token in the app profile to connect AvePoint Cloud Archiving to your SharePoint Online environment.

- You can now automatically archive or restore list views when archiving or restoring objects in list or above levels.

- You can restrict modifications to an applied profile for a site collection if the profile is applied to the site collection in AvePoint Cloud Governance.

Known Issues

- The app profile that contains a custom Azure application cannot be used to connect to your SharePoint Online environment when you use the Create Container functionality to create site collections within the Cloud Archiving interface.

- In Archiver, create a **Document** level Archiver rule (**Content Type**, **Contains**, **wiki)** and apply the rule to a Wiki Page Library and then run the Archiver job. After the job is finished, the library is not archived.

  Root Cause: Files whose extensions are one the followings will skip archiving: **aspx**, **js**, and **css**. The file extension in Wiki Page Library is **aspx**.

- When configuring the physical device of the SFTP storage type and the SFTP server is freeSSHd, testing both the Password and the Private Key File (a .ppk file) at the same time will fail the test. SFTP only supports the private key file in .openssh format. The private key files in .ppk format generated by PuttyGen are not supported. As a workaround, if your private key file is in .ppk format, use PuttyGen to convert it to an .openssh file.

- If there are network disruptions during use, there is a possibility that the "Job Has Started" or other operation indicators may not show in the notification pane. While the notification may fail to appear, the job may have successfully started and will be tracked

in the Job Monitor. It is recommended you check the job monitor before trying to restart an operation or export a new report.

- If a user creates a plan or profile with a name that contains "workflow;open a", an error message appears after saving the plan or profile. The words "workflow;open a" trigger the rule of Windows Firewall.

- AvePoint Cloud Archiving only supports users with site collection administrator or above permissions to register SharePoint Online site collections.

- When configuring a filter policy for the **Number** column with a percentage, the column value must be in a decimal format instead of a percentage in order for the filter policy to be configured correctly and properly run any jobs.

Notices and Copyright Information